



Note : Various connectors are available on request

<u>RANGE</u>	<u>STEM</u> ← L →	<u>LEAD LENGTH</u>
Min Temp .....(°C)	4.7mm x .....	
	6.3mm x .....	
Max Temp.....(°C)	9.5mm x .....	.....
	Other .....	
<u>SENSOR TYPE</u>	<u>LEAD MATERIAL</u>	<u>LEAD PROTECTION</u>
Type K	PVC	Stainless Overbraid
Type J	PTFE	
Other.....	Glass Fibre	
	Other.....	

SERVOTECH INSTRUMENTATION LTD  
 6 WILLIAM PICKERING DRIVE  
 ALBANY  
 AUCKLAND, NEW ZEALAND  
 PHONE: 64-9-415 8362  
 FAX: 64-9-415 8361  
 EMAIL: sales@servotech.co.nz  
 WEBSITE: www.servotech.co.nz

UNLESS OTHERWISE SPECIFIED,  
 ALL DIMENSIONS ARE IN mm

THIS DRAWING IS EXCLUSIVE  
 PROPERTY OF SERVOTECH  
 INSTRUMENTATION LTD AND  
 SHOULD NOT BE COPIED OR  
 HANDED TO OTHER PARTIES  
 WITHOUT PRIOR PERMISSION.

 <i>Temperature management by design</i>		
<b>TITLE: MINERAL INSULATED THERMOCOUPLE          PROBE WITH FLEXIBLE LEAD</b>		
DRAWN BY: AC APPROVED BY: KV		DATE: 7/3/13
GENERIC NO. <b>T16</b>		A4
SCALE: NTS		MATERIAL: