



<u>RANGE</u>	<u>OVERALL LENGTH</u> $\leftarrow L \rightarrow$
Min Temp(°C)
Max Temp.....(°C)

<u>SENSOR TYPE</u>	<u>STEM</u> $\leftarrow U \rightarrow$	<u>LEAD MATERIAL</u>
Type K Type J Other.....	4.5mm x 6mm x Other	PTFE Fibre Glass Other.....

<u>BAYONET CAP TYPE</u>	<u>LEAD PROTECTION</u>	<u>CONNECTOR</u>
12mm 2 Slot 15mm 2 Slot Other.....	SS Overbraided * SS Armour * None	Mini Plug Standard Plug Tails Other.....
	*SS(Stainless Steel)	

Note : Thermocouples supplied with grounded junctions unless specified otherwise

SERVOTECH INSTRUMENTATION LTD
6 WILLIAM PICKERING DRIVE
ALBANY
AUCKLAND, NEW ZEALAND
PHONE: 64-9-415 8362
FAX: 64-9-415 8361
EMAIL: sales@servotech.co.nz
WEBSITE: www.servotech.co.nz

 <i>Temperature management by design</i>		
TITLE: THERMOCOUPLE UNIVERSAL BAYONET TYPE		
DRAWN BY: AC APPROVED BY: KV		DATE: 7/3/13
GENERIC NO. T54		A4
SCALE: NTS	MATERIAL:	

UNLESS OTHERWISE SPECIFIED,
ALL DIMENSIONS ARE IN mm

THIS DRAWING IS EXCLUSIVE
PROPERTY OF SERVOTECH
INSTRUMENTATION LTD AND
SHOULD NOT BE COPIED OR
HANDLED TO OTHER PARTIES
WITHOUT PRIOR PERMISSION.