



<u>RANGE</u>	<u>U LENGTH</u>
Min Temp .....(°C)	.....
Max Temp.....(°C)	.....

<u>SENSOR TYPE</u>	<u>PIPE SIZE</u>	<u>PIPE MATERIAL</u>
Type K Type J * Duplex Other.....	Diameter x L 1/2" x ..... 3/4" x .....	316 SS 253MA SS Inconel 600 Other.....

<u>THERMOCOUPLE</u>	<u>PROCESS FITTING</u>	<u>CONNECTOR</u>
6mm MI * 9.5mm MI *	1/2" BSP 3/4" BSP Other.....	2 Terminal 4 Terminal * None Other.....
* See Note 1	*See Note 2	*Required with a duplex sensor

\*Note 1 : Mineral insulated stainless steel thermocouple wire  
 \*Note 2 : Process fitting can be left loose for field welding purposes

SERVOTECH INSTRUMENTATION LTD  
 6 WILLIAM PICKERING DRIVE  
 ALBANY  
 AUCKLAND, NEW ZEALAND  
 PHONE: 64-9-415 8362  
 FAX: 64-9-415 8361  
 EMAIL: sales@servotech.co.nz  
 WEBSITE: www.servotech.co.nz



UNLESS OTHERWISE SPECIFIED,  
 ALL DIMENSIONS ARE IN mm

THIS DRAWING IS EXCLUSIVE  
 PROPERTY OF SERVOTECH  
 INSTRUMENTATION LTD AND  
 SHOULD NOT BE COPIED OR  
 HANDED TO OTHER PARTIES  
 WITHOUT PRIOR PERMISSION.

TITLE: <b>THERMOCOUPLE PROBE WITH PROTECTION PIPE AND PROCESS FITTING</b>	
DRAWN BY:	DATE:
GENERIC NO. <b>TO9</b>	A4
SCALE: NTS	MATERIAL: