



Note : Various connectors are available on request

<p><u>RANGE</u></p> <p>Min Temp(°C)</p> <p>Max Temp.....(°C)</p>	<p><u>STEM</u> ← L →</p> <p>4.7mm x</p> <p>6.3mm x</p> <p>9.5mm x</p> <p>Other</p>	<p><u>LEAD LENGTH</u></p> <p>.....</p>
<p><u>SENSOR TYPE</u></p> <p>Type K</p> <p>Type J *</p> <p>Other.....</p> <p>* Type J only to 760°C</p>	<p><u>LEAD MATERIAL</u></p> <p>PVC</p> <p>PTFE</p> <p>Glass Fibre</p> <p>Other.....</p>	<p><u>LEAD PROTECTION</u></p> <p>Stainless Overbraid</p> <p>Spiral Armour</p>

SERVOTECH INSTRUMENTATION LTD
 6 WILLIAM PICKERING DRIVE
 ALBANY
 AUCKLAND, NEW ZEALAND
 PHONE: 64-9-415 8362
 FAX: 64-9-415 8361
 EMAIL: sales@servotech.co.nz
 WEBSITE: www.servotech.co.nz

UNLESS OTHERWISE SPECIFIED,
 ALL DIMENSIONS ARE IN mm

THIS DRAWING IS EXCLUSIVE
 PROPERTY OF SERVOTECH
 INSTRUMENTATION LTD AND
 SHOULD NOT BE COPIED OR
 HANDED TO OTHER PARTIES
 WITHOUT PRIOR PERMISSION.

	
<p>TITLE: MINERAL INSULATED THERMOCOUPLE PROBE WITH FLEXIBLE LEAD</p>	
<p>DRAWN BY:</p>	<p>DATE:</p>
<p>GENERIC NO. T16</p>	<p>A4</p>
<p>SCALE: NTS</p>	<p>MATERIAL:</p>