



Note : Various connectors are available on request

<u>RANGE</u>	<u>STEM</u> ← L →	<u>LEAD LENGTH</u>
Min Temp(°C)	4.7mm x	
Max Temp.....(°C)	6.3mm x
	9.5mm x	
	Other	
<u>SENSOR TYPE</u>	<u>LEAD MATERIAL</u>	<u>LEAD PROTECTION</u>
Type K	PVC	Stainless Overbraid
Type J	PTFE	
Other.....	Glass Fibre	
	Other.....	

SERVOTECH INSTRUMENTATION LTD
 6 WILLIAM PICKERING DRIVE
 ALBANY
 AUCKLAND, NEW ZEALAND
 PHONE: 64-9-415 8362
 FAX: 64-9-415 8361
 EMAIL: sales@servotech.co.nz
 WEBSITE: www.servotech.co.nz

UNLESS OTHERWISE SPECIFIED,
 ALL DIMENSIONS ARE IN mm

THIS DRAWING IS EXCLUSIVE
 PROPERTY OF SERVOTECH
 INSTRUMENTATION LTD AND
 SHOULD NOT BE COPIED OR
 HANDED TO OTHER PARTIES
 WITHOUT PRIOR PERMISSION.

SERVOTECH

Temperature management by design



TITLE: **MINERAL INSULATED THERMOCOUPLE
 PROBE WITH FLEXIBLE LEAD**

DRAWN BY:	DATE:
GENERIC NO.	T16
SCALE: NTS	MATERIAL:
	A4