



Note : Various connectors are available on request

<p><u>RANGE</u></p> <p>Min Temp .....(°C)</p> <p>Max Temp.....(°C)</p>	<p><u>STEM</u> ← L →</p> <p>3mm x .....</p> <p>4.5mm x .....</p> <p>6mm x .....</p> <p>9.5mm x .....</p> <p>Other .....</p>	<p><u>LEAD LENGTH</u></p> <p>.....</p>
<p><u>SENSOR TYPE</u></p> <p>Type K</p> <p>Type J *</p> <p>Other.....</p> <p>* Type J only to 760°C</p>	<p><u>LEAD MATERIAL</u></p> <p>PVC</p> <p>PTFE</p> <p>Glass Fibre</p> <p>Other.....</p>	<p><u>LEAD PROTECTION</u></p> <p>Stainless Overbraid</p> <p>Spiral Armour</p>

SERVOTECH INSTRUMENTATION LTD  
 6 WILLIAM PICKERING DRIVE  
 ALBANY  
 AUCKLAND, NEW ZEALAND  
 PHONE: 64-9-415 8362  
 FAX: 64-9-415 8361  
 EMAIL: sales@servotech.co.nz  
 WEBSITE: www.servotech.co.nz

UNLESS OTHERWISE SPECIFIED,  
 ALL DIMENSIONS ARE IN mm

THIS DRAWING IS EXCLUSIVE  
 PROPERTY OF SERVOTECH  
 INSTRUMENTATION LTD AND  
 SHOULD NOT BE COPIED OR  
 HANDED TO OTHER PARTIES  
 WITHOUT PRIOR PERMISSION.

	
<p>TITLE: <b>MINERAL INSULATED THERMOCOUPLE          PROBE WITH FLEXIBLE LEAD</b></p>	
<p>DRAWN BY: AC APPROVED BY: KV</p>	<p>DATE: 7/3/13</p>
<p>GENERIC NO. <b>T16</b></p>	<p>A4</p>
<p>SCALE: NTS</p>	<p>MATERIAL:</p>