

RANGE Min Temp: _____ Max Temp:

SENSOR TYPE	<u>STEM</u>	HEAD MATERIAL	
Type K □ Type R □	10mm x	Aluminium	
Type N Type S	15mm x	Stainless Steel	
Duplex 🗆	20mm x	Nylon	
	Other:	,	
Other:			
SHEATH MATERIAL	LAGGING EXTENSION	CONNECTOR	
Dimulit - UP TO 1500 °C	100mm □	2 Terminal	
Alumina - UP TO 1700 °C	Other: 🗆	4 Terminal (Duplex)	
		Other:	
		Transmitter • Min: Max:	



DRAWN BY: DV





THERMOCOUPLE PROBE WITH **CERAMIC SHEATH AND LAGGING EXTENSION**

APPROVED BY: KV

THIS DRAWING IS EXCLUSIVE PROPERTY OF SERVOTECH INSTRUMENTATION LTD AND SHOULD NOT BE COPIED OR HANDED TO OTHER PARTIES WITHOUT PROPER PERMISSION.

WEBSITE: www.servotech.co.nz

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN mm

GENERIC NUMBER: **T10L** Α4

DATE: 20/12/2022

MANUFACTURED IN NEW ZEALAND SCALE: NTS