



RANGE		STEM		LEAD LENGTH	
Min Temp: _____ (°C)		3.0mm x _____			
		4.5mm x _____			
Max Temp: _____ (°C)		6.0mm x _____			
		9.5mm x _____			
		Other: _____			
SENSOR TYPE		LEAD MATERIAL		LEAD PROTECTION	
Type K	<input type="checkbox"/>	PVC	<input type="checkbox"/>	Stainless Overbraid	<input type="checkbox"/>
Type J	<input type="checkbox"/>	Glass Fibre	<input type="checkbox"/>	None	<input type="checkbox"/>
Type T	<input type="checkbox"/>	Teflon	<input type="checkbox"/>		
Type N	<input type="checkbox"/>	Other: _____	<input type="checkbox"/>		
Other: _____	<input type="checkbox"/>				

SERVOTECH INSTRUMENTATION LTD
 6 WILLIAM PICKERING DRIVE
 ALBANY
 AUCKLAND, NEW ZEALAND
 PHONE: 64-9-415 8362
 FAX: 64-9-415 8361
 EMAIL: sales@servotech.co.nz
 WEBSITE: www.servotech.co.nz



UNLESS OTHERWISE SPECIFIED,
 ALL DIMENSIONS ARE IN mm

THIS DRAWING IS EXCLUSIVE PROPERTY
 OF SERVOTECH INSTRUMENTATION LTD
 AND SHOULD NOT BE COPIED OR
 HANDED TO OTHER PARTIES WITHOUT
 PROPER PERMISSION.

TITLE: THERMOCOUPLE PROBE WITH FLEXIBLE LEAD		
DRAWN BY: DV	APPROVED BY: KV	DATE: 24/11/2022
GENERIC NUMBER: T16		A4
SCALE: NTS	MANUFACTURED IN NEW ZEALAND	