


# Ex ia



RANGE		STEM		LEAD LENGTH	
Min Temp: _____ (°C)		3.0mm x _____			
		4.5mm x _____			
Max Temp: _____ (°C)		6.0mm x _____			
		9.5mm x _____			
		Other: _____			
SENSOR TYPE		LEAD MATERIAL		LEAD PROTECTION	
Type K	<input type="checkbox"/>	PVC	<input type="checkbox"/>	Stainless Overbraid	<input type="checkbox"/>
Type J	<input type="checkbox"/>	Glass Fibre	<input type="checkbox"/>	SS Spiral Armour	<input type="checkbox"/>
Type T	<input type="checkbox"/>	Teflon	<input type="checkbox"/>	None	<input type="checkbox"/>
Type N	<input type="checkbox"/>	Other: _____	<input type="checkbox"/>		
Other: _____	<input type="checkbox"/>				

SERVOTECH INSTRUMENTATION LTD  
 6 WILLIAM PICKERING DRIVE  
 ALBANY  
 AUCKLAND, NEW ZEALAND  
 PHONE: 64-9-415 8362  
 FAX: 64-9-415 8361  
 EMAIL: sales@servotech.co.nz  
 WEBSITE: www.servotech.co.nz

UNLESS OTHERWISE SPECIFIED,  
 ALL DIMENSIONS ARE IN mm

THIS DRAWING IS EXCLUSIVE PROPERTY  
 OF SERVOTECH INSTRUMENTATION LTD  
 AND SHOULD NOT BE COPIED OR  
 HANDED TO OTHER PARTIES WITHOUT  
 PROPER PERMISSION.

**SERVOTECH**

ISO 9001  
 BUREAU VERITAS  
 Certification

TITLE: **Ex ia THERMOCOUPLE PROBE WITH FLEXIBLE LEAD AND FERRULE**

DRAWN BY: DV      APPROVED BY: KV      DATE: 24/11/2022

GENERIC NUMBER: \_\_\_\_\_

A4

SCALE: NTS      MANUFACTURED IN NEW ZEALAND